

White, W. L. & Evans, A.C. (2013). Toward a core recovery-focused knowledge base for addiction professionals and recovery support specialists. Posted at [www.williamwhitepapers.com](http://www.williamwhitepapers.com)

## **Toward a Core Recovery-focused Knowledge Base for Addiction Professionals and Recovery Support Specialists**

William L. White, MA  
Emeritus Senior Research Consultant  
Chestnut Health Systems

Arthur C. Evans, Jr., PhD  
Commissioner  
Philadelphia Department of Behavioral Health and Intellectual disAbilities Services

January, 2013

Recovery is emerging as a new organizing construct within the alcohol and drug problems arena. Government policymakers are reframing policy goals beyond those of supply reduction, harm minimization, and demand reduction. Discussions of primary prevention, early intervention, and clinical treatment are being reframed within a larger rubric of personal, family, and community recovery; wellness; and quality of life. Acute and palliative care models of addiction treatment are giving way to models of sustained recovery management nested within larger recovery-oriented systems of care. Clinical assessment and service planning are being revolutionized via the constructs of recovery capital and recovery planning. Multiple pathways of long-term recovery are being mapped within and across an ever-growing network of religious, spiritual, and secular recovery mutual aid societies and a greater understanding of processes of natural recovery. Grassroots recovery community organizations are springing up across the globe in an unprecedented level of cultural and political mobilization of individuals and families in recovery. New service institutions are emerging—recovery homes, recovery schools, recovery industries, recovery ministries, recovery cafes—that do not fit the traditional categories of addiction treatment and recovery mutual aid. Internet-based and other technology-based mutual aid and social networking are challenging traditional mechanisms for delivering both treatment and recovery support. New recovery-focused service roles are rapidly spreading, e.g., recovery support specialists, recovery coaches, peer specialists. And calls for pursuit of a recovery-focused research agenda are challenging the historical addiction pathology preoccupations of the National Institute on Drug Abuse and the National Institute on Alcohol Abuse and Alcoholism.

Support for recovery as an organizing paradigm has not been universal. Critics representing diverse interests have contended to the authors that the recovery concept is amorphous (“Is it like pornography? You can’t define it but you know it when you see it?”), redundant (“We’re already recovery-oriented.”), faddish (“a flavor of the month”), unscientific

(“Are there evidence-based recovery practices?”), impractical (“No one will fund long-term recovery support.”), and dangerous (“Recovery is a political Trojan horse whose real aim is de-professionalizing, delegitimizing, and defunding science-based addiction treatment and harm reduction services” (also see Davidson et al., 2005; Kirk, 2011). Each of these critiques must be challenged if recovery is to prove and sustain its value as a governing vision for the field. The authors have argued in a long series of papers, monographs, books and professional presentations that a true long-term recovery orientation will require a radical transformation of how addiction treatment and recovery support services are planned, designed, delivered, and evaluated (For a synthesis of these, see White, 2008a). But recovery’s life expectancy as an organizing construct could indeed be limited if recovery and recovery-oriented practices remain ill-defined or if the recovery concept is hijacked and its meaning diluted or distorted to protect prevailing ideologies and institutional interests.

The next stage of the “recovery revolution,” if it is to really be that, is to define in extremely concrete terms what recovery is and is not, how recovery orientation changes prevailing practices in addiction treatment, how new recovery roles differ from the service roles that preceded them, and what recovery-focused benchmarks should be used to evaluate role performance, organizational performance and systems performance. The present paper is part of a series of papers through which the authors wishes to contribute to this definitional work. The focus of the present paper is the following question:

*Is there a core recovery-focused knowledge and skill set that distinguishes recovery-oriented addiction treatment and long-term recovery support services?*

Table 1 below compares core areas of knowledge and skill that have constituted the historical education and training of traditional addiction professionals with core areas of knowledge and skill the author believes constitute an essential foundation for the delivery of recovery-oriented care and support. The first column of Table 1 represents topical areas addressed through mainstream addiction research activities, the curricula of addiction studies and addiction counselor training programs, addiction professional certification and licensure program standards, and the knowledge and skill sets used to screen, hire, train, and supervise addiction treatment professionals. This specialty knowledge is well-illustrated in publications such as the Center for Substance Abuse Treatment’s Tap 21: *Addiction Counseling Competencies: The Knowledge, Skills, and Attitudes of Professional Practice*.

The second column of Table 1 notes recovery-focused ingredients that have been missing and that would need to be addressed in any move to increase the field’s recovery orientation. The citations in column two illustrate publications that have attempted to address some of these historically neglected areas. These citations are not intended to be comprehensive but rather are included to illustrate that there are starting points on which to build this recovery-focused knowledge and skill base.

It is our contention that the core knowledge and skills outlined in column two constitute essential aspects of what should be included in the education, training, and ongoing supervision of all addiction treatment and recovery support specialists. Much of the recommended knowledge base does not currently exist and will not exist until federal, state and private research agendas are expanded to include critical recovery-focused questions. However, as the citations in column two suggest, sufficient knowledge is available to begin this shift toward more recovery-focused training of addiction professionals and recovery support specialists.

**Table 1:** Contrasting Pathology-focused Medical/Clinical Paradigms and a Recovery Paradigm of Education and Training of Addiction Professionals and Recovery Support Specialists

Present Education/Training Focus	Missing Recovery Dimensions
Ways of knowing ( <u>scientific, professional, clinical knowledge</u> ); credibility and status based on educational, professional, organizational credentials/titles. Affirmation of the power and importance of science. Resources for accessing addiction-related research and literature.	Ways of knowing ( <u>experiential knowledge</u> Borkman, 1976; Jackson, 2001, and <u>cultural knowledge</u> , Brady, 1995); credibility and status based on personal story/character and vetting as a healer via the community “wire”—a paperless credential no academic institution or professional certification body can bestow (White & Sanders, 2008). Acknowledgement of the limitations of science. Resources for accessing indigenous institutions and healers and experience-based and culturally-grounded recovery literature.
<u>Problem definition</u> , e.g., addiction & its defining elements; diagnostic criteria, e.g., APA DSM-V, WHO ICD-10.	<u>Solution definition</u> , e.g., personal/family/community resilience, resistance, & recovery & their defining elements (Betty Ford Institute Consensus Panel, 2007; Laudet, 2007; White, 2007; McLellan, 2010; SAMHSA, 2009, 2011; United Kingdom Drug Policy Commission, 2008); recovery measurement tools, e.g., paucity of validated DSM/ASI counterparts for assessing recovery status, stage of recovery, & recovery support needs.
<u>Emphasis on assessment of problem severity/complexity</u> (dozens of screening and assessment instruments, e.g., ASI, AUDIT, CAGE, CRAFFT, DAST, DUSI-R, GAIN, MAST, SCID) and models for level of care placement.	<u>Emphasis on, but paucity of, instruments for assessment of personal, family, &amp; community recovery capital</u> (Groshkova, Best, & White, 2012; White & Cloud, 2008).

Present Education/Training Focus	Missing Recovery Dimensions
<p><u>History of drug use/addiction</u> &amp; history of addiction treatment as a cultural institution.</p>	<p><u>History of addiction recovery</u>, including modern diversification of recovery mutual aid organizations, the new recovery advocacy movement, growth of grassroots recovery community organizations and other new recovery support institutions (e.g., recovery homes, recovery schools, recovery industries, recovery ministries, recovery community centers, recovery cafes, recovery activities in sports, music, theatre, film) and technology-based recovery support resources (e.g., Internet-based mutual aid and recovery-supportive social networking; smart phone applications for recovery support; Humphreys, 2004; Kelly &amp; White, 2012; For extensive citations, see White, 1998; 2000a, 2000b; 2001, 2004, 2006, 2007, 2009; White, Kelly, &amp; Roth, 2012).</p>
<p><u>Pharmacology of drugs/neurobiology of addiction.</u></p> <p>Medical aspects of addiction, e.g., relationship between addiction and disease.</p>	<p><u>Neurobiology of addiction recovery</u> (Erickson &amp; White, 2009), pharmacology of medications used within addiction treatment (Abraham et al., 2009; Edwards et al., 2011; Garbutt, 2009; Knudsen et al., 2011; Rieckmann et al., 2007; White, Parrino, &amp; Ginter, 2011), &amp; medical aspects of recovery (temporal norms related to renormalization of sleep, energy, appetite, cognitive functioning, sexual functioning, and improvement/alleviation of addiction-related health problems, e.g., van Eijk, et al, 2012). Relationship between recovery and health.</p>

Present Education/Training Focus	Missing Recovery Dimensions
<p><u>AOD-related problem prevalence</u>—review of community AOD use prevalence surveys (e.g., Monitoring the Future; National Household Survey); patterns of substance use drawn from national data systems profiling persons entering addiction treatment (e.g., SAMHSA—TEDS); other AOD-related casualty data, e.g., death data, arrest data, ER admissions, social cost data, etc.; this near-exclusive focus on problem prevalence and severity contributes to stigma-laden stereotypes of addiction and fuels cultural and therapeutic pessimism about the achievement of long-term recovery.</p>	<p><u>Solution prevalence</u>—remission/recovery prevalence patterns drawn from community and clinical population surveys; profiles of people in recovery by demographics, primary drug(s); special populations, e.g., veterans, persons with co-occurring medical &amp; psychiatric disorders; health profile/needs of people in recovery; community contribution profile of people in recovery via employment, income/taxes, service, etc. (Dawson, 1996, 1998; Dawson et al., 2005, 2006a, 2006b, 2007, 2008; ; Kessler et al., 1994, 2005; White, 2012); Emphasizing solution prevalence data raises cultural optimism and personal/family hope for recovery.</p>
<p><u>Pathology &amp; intervention paradigms</u>—theories of addiction; models of addiction treatment and theories of counseling; emphasis on the psychology of addiction &amp; role of professional treatment in recovery initiation.</p> <p>Presentation of harm reduction (HR)models (theory and representative programs) as an alternative to addiction treatment and recovery support</p>	<p><u>Recovery as an organizing paradigm</u> (Berridge, 2012; El-Guebaly, 2012; Elise, 1999; Morgan, 1996; White, 2004, 2005, 2008; Zweben, 1986); theories of recovery (Biernacki, 1986; Frykholm, 1985; Klingemann, 1991; Prochaska et al., 1994; Waldorf, 1983; Waldorf et al., 1991; White, 1996).</p> <p>Models integrating HR with treatment and recovery within an addiction / treatment / recovery careers schema (see Dennis, Scott, Funk, et al, 2005; Hser, Anglin, Grella, et al, 1997; Kellogg, 2003; Kellogg &amp; Kreek, 2005; Marlatt, Blume &amp; Parks, 2001; McLellan, 2003).</p>
<p><u>Short-term expert relational model</u>—focus on brief hierarchical relational model drawn from brief psychotherapy role practiced by psychiatrists, psychologists, and social workers; emphasis on maintaining power differential and professional distance; rigorous boundary maintenance; prohibition on dual relationships; discouragement of self-disclosure.</p>	<p><u>Long-term partnership relational model</u>; emphasis on system-wide relationships built on moral equality and emotional authenticity; reduced power differential; and value of recovery support relationships that are natural, non-hierarchical, reciprocal, enduring, and non-commercialized (White, 2008a; Lamb, Evans, &amp; White, 2009).</p>

Present Education/Training Focus	Missing Recovery Dimensions
<p>Emphasis on treatment/recovery as a process of <u>incremental change</u> (e.g., stages of change and use of motivational interviewing to enhance recovery initiation); assertion of addiction as a “chronic, progressive, relapsing disorder”; relapse portrayed as part of recovery; focus on relapse prevention and relapse management.</p>	<p>Potential for recovery as a process of <u>transformational change</u> that is sudden, unplanned, positive, and permanent (Miller &amp; C’ de Baca, 2001; White, 2004); any resumption of AOD use and related problems is viewed, not as part of the recovery process, but as part of the pathology of addiction (White, 2010); recovery prevalence data collected includes emphasis on the number of people in continuous recovery since their first recovery initiation; focus on recovery maintenance and enhanced quality of personal and family life in long-term recovery (Laudet, Becker, &amp; White, 2009).</p>
<p>Techniques of individual, group, and family counseling that focus on enhancing autonomy and individuation, <u>self-knowledge, self-development, self-assertion, self-control, self-confidence, and self-esteem</u> (“treatment as a process of getting into oneself”), e.g., self is the solution. Emphasis on listening.</p>	<p>Recovery-focused reconstruction of identity, character, values, and relationships (White, 1996); recovery as spiritual <u>self-transcendence, mutual dependence, humility, tolerance, respect, and service to others</u> (“recovery as a process of getting out of oneself”; Kurtz &amp; Ketcham, 1992), e.g., self (“I”) is the problem; “we” is the solution. Emphasis on storytelling and power of mutual identification.</p>



Present Education/Training Focus	Missing Recovery Dimensions
<p><u>Cultures of addiction</u> (limited review of peer influence on addiction initiation and maintenance within drug subcultures)</p>	<p><u>Cultures of recovery</u> (White, 1996); emphasis on status and studies of contemporary indigenous recovery support institutions; review of how recovery experience is being expressed through pathway-specific and ecumenical cultures of recovery via symbols, rituals, language, values, art, film, theatre, internet-based social networking, music, sport, literature, history, and community service (White, 2008b, also see following sections at <a href="http://www.williamwhitepapers.com">www.williamwhitepapers.com</a> : Recovery Support Interviews, History of Recovery Mutual Aid, and Varieties of Recovery Experience.)</p>
<p><u>Techniques to support acute biopsychosocial stabilization</u>, e.g., crisis intervention; detoxification; brief sequestration from culture of addiction; addiction-focused psychosocial education; short-term individual, group, and family counseling; orientation and encouragement for recovery mutual aid involvement; review of studies of AA and other recovery mutual aid on short-term outcomes of persons completing addiction treatment.</p>	<p><u>Techniques to support long-term personal/family recovery</u>, e.g., emphasis on techniques for post-treatment monitoring, stage-appropriate recovery education; recovery support, and if and when needed, early re-intervention; emphasis on role of community in long-term recovery and potential role addiction professionals can play in later stages of personal/family recovery (Chi et al., 2011; Dennis, Scott, Funk, et al, 2005, 2012; Godley et al., 2007; McKay et al., 2004, 2005a,b, 2011; White, 2009); Review of studies of AA and other recovery mutual aid on long-term outcomes of treated and untreated populations (For reviews see, Kelly &amp; Yeterian, 2008; White, 2009).</p>
<p><u>Role and risks of medications in addiction treatment and recovery.</u></p>	<p><u>Risks and benefits of medication in recovery initiation and long-term recovery maintenance</u> (White &amp; Torres, 2010); evolving attitudes of addiction professionals and recovery mutual aid groups toward medications in general and the pharmacotherapeutic treatment of opioid addiction in particular (See White, 2011; White, Parrino, &amp; Ginter, 2011 for extensive citations); alternative recovery support structures for Opioid Treatment Program patients (Ginter, 2012).</p>



Present Education/Training Focus	Missing Recovery Dimensions
<u>Vulnerability of, and predictive risk factors for, “special populations”—women, youth, elderly, people of color, LGBT, people with co-occurring disorders, etc.</u>	<u>Resilience, resistance, and recovery of historically disempowered populations;</u> presence of indigenous recovery capital within historically marginalized persons and communities (Coyhis & White, 2006).
<u>Influence of patient cultural affiliation and personal/historical trauma on addiction &amp; the counseling process.</u>	<u>Culturally indigenous pathways of long-term recovery across the life cycle;</u> emphasis on potential for resistance (abstinence as a an act of cultural/political activism and personal/cultural survival), recovery, and resilience in the face of personal & historical trauma (Brave Heart, 2003; Brave Heart & DeBruyn, 1998; Brave Heart et al., 2011; Coyhis & White, 2006; Williams, with Laird, 1992).
<u>Addiction/Treatment-focused patient, professional, and community education.</u>	<u>Recovery-focused patient, professional, and community education</u> (White, 2001); stigma management as a critical recovery component for individuals, families, and communities (White & Torres, 2010).
<u>Legal and ethical issues in addiction counseling;</u> ethical values drawn from professional community, with emphasis on confidentiality and maintaining professional detachment— <i>appropriate boundary management</i> .	<u>Cultural etiquette of working with diverse communities of recovery across diverse cultural contexts</u> (Achara-Abrahams et al., 2012; White & Kurtz, 2006a; White & Sanders, 2008; White, Evans, Lamb, & Achara-Abrahams, in press); ethical values and cultural etiquette drawn from multiple communities of recovery—with emphasis on humility, love, service, discretion, and respect; knowledge of anonymity tradition and its multiple functions.

Present Education/Training Focus	Missing Recovery Dimensions
<u>Interagency collaboration</u> ; emphasis on mechanics and etiquette of working with formal community institutions, e.g., key organizations, roles, procedures, language.	<u>Collaboration with &amp; assertive linkage procedures to recovery mutual aid organizations and rapidly expanding recovery community organizations, e.g. key organizations, roles, procedures, language.</u> ; knowledge and skills in developing and mobilizing community recovery support resources (Humphreys, 1999; Kaskutas, Subbaraman, Witbrodt, & Zembre, 2009; McKnight, 1995; Timko, DeBenedetti, & Billow, 2006; White, 2001, 2009; White & Kurtz, 2006; Williams & Laird, 1992).
<u>Focus on Short-term Treatment Outcomes</u> ; role of addiction professional in primary treatment.	<u>Focus on long-term recovery outcomes</u> (White, 2012); role of addiction professional and recovery support specialists across the stages of recovery (White, 2006).
Frequent note of <u>intergenerational transmission of AOD problems</u> .	Discussion of potential <u>role of recovery in breaking intergenerational cycles</u> and parenting strategies for recovering parents that can reduce risks of AOD problems in their children (Arria et.al., in press; White & Chaney, 2012).

The above table is not meant to suggest opposing, mutually exclusive bodies of knowledge. It is instead a way to convey that we as a field have developed great expertise on alcohol and other drug-related problems, but lack a comparable body of knowledge related to the solutions to these problems as they exist today in the lives of individuals, families, and communities. It is time we moved beyond the superficial rhetoric calling for increased recovery orientation in the design of addiction treatment (and community-based recovery support services) and began the much harder work of building and then infusing a recovery-focused foundation of knowledge and skills into the education and training of addiction professionals, recovery support specialists and the broader arena of allied health and human service professionals. Work towards that goal is already underway.

**About the Authors:** William White is Emeritus Senior Research Consultant, Chestnut Health Systems; Arthur C. Evans, Jr., is Commission, Philadelphia Department of Behavioral Health and Intellectual disAbility Services.

**Acknowledgement:** Support for this paper was provided by the Philadelphia Department of Behavioral Health and Intellectual disAbility Services, NAADAC: The Association for Addiction Professionals and the Great Lakes Addiction Technology Transfer Center (ATTC)

through a cooperative agreement from the Substance Abuse and Mental Health Services Administration (SAMHSA) Center for Substance Abuse Treatment (CSAT). The opinions expressed herein are the view of the authors and do not reflect the official position of these organizations.

## References

- Abraham, A. J., Ducharme, L., & Roman, P. (2009). Counselor attitudes toward pharmacotherapies for alcohol dependence. *Journal of Studies of Alcohol and Drugs*, 70, 628-635.
- Achara-Abrahams, I., Evans, A. C., Ortiz, J., Villegas, D. L., O'Dell, J., Ali, O., & Hawkins, D. (2012). Recovery management and African Americans: A report from the field. *Alcoholism Treatment Quarterly*, 30, 263-292. doi:10.1080/07347324.2012.691049
- Arria, A. M., Mericle, A. A., Rallo, D., Moe, J., White, W. L., Winters, K. G., & O'Connor, G. O. (in press). Integration of parenting skills education and intervention in addiction treatment. *Journal of Addiction Medicine*.
- Berridge, V. (2012). The rise, fall, and revival of recovery in drug policy, *Lancet*, 379, 22-23.
- Betty Ford Institute Consensus Panel. (2007). What is recovery? A working definition from the Betty Ford Institute. *Journal of Substance Abuse Treatment*, 33, 221-228. doi:10.1016/j.jsat.2007.06.001
- Biernacki, P. (1986). *Pathways from heroin addiction: Recovery without treatment*. Philadelphia: Temple University Press.
- Borkman, T. (1976). Experiential knowledge: A new concept for the analysis of self-help groups. *Social Service Review*, 50, 443-456.
- Borkman, T. (1998). Is recovery planning any different from treatment planning? *Journal of Substance Abuse Treatment*, 15(1), 37-42.
- Brady, M. (1995). Culture in treatment, culture as treatment. A critical appraisal of developments in addictions programs for indigenous North Americans and Australians. *Social Science Medicine*, 41(11), 1487-1498.
- Brave Heart, M. Y. (2003). The historical trauma response among natives and its relationship with substance abuse: A Lakota illustration. *Journal of Psychoactive Drugs*, 35(1), 7-13. doi:10.1080/02791072.2003.10399988
- Brave Heart, M. Y., Chase, J., Elkins, J., & Altschul, D. B. (2011). Historical trauma among indigenous peoples of the Americas: Concepts, research and clinical considerations. *Journal of Psychoactive Drugs*, 43(4), 282-290. doi:10.1080/02791072.2011.628913
- Brave Heart, M. Y., & DeBruyn, L. M. (1998). The American Indian Holocaust: Healing historical unresolved grief. *American Indian and Alaska Native Mental Health Research Journal*, 8(2), 60-82.
- Brown, S., & Lewis, V. (1999). *The alcoholic family in recovery: A developmental model*. New York & London: Guilford Press.
- Center for Substance Abuse Treatment (CSAT), (2006). *Addiction Counseling Competencies: The Knowledge, Skills, and Attitudes of Professional Practice*. Technical Assistance Publication (TAP) Series 21. DHHS Publication No. (SMA) 06-4171. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Chi, F. W., Parthasarathy, S., Mertens, J. R., & Weisner, C. M. (2011). Continuing care and

- long-term substance use outcomes in managed care: Early evidence for a primary care-based model. *Psychiatric Services*, 62(10), 1194-1200. doi:10.1176/appi.ps.62.10.1194
- Coyhis, D. L., & White, W. L. (2006). *Alcohol problems in Native America: The untold story of resistance and recovery-The truth about the lie*. Colorado Springs, CO: White Bison, Inc.
- Davidson, L., O'Connell, M. J., Tondora, J., Lawless, M., & Evans, A. C. (2005). Recovery in serious mental illness: A new wine or just a new bottle? *Professional Psychology: Research and Practice*, 36, 480-487. doi:10.1037/0735-7028.36.5.480
- Dawson, D. A. (1996). Correlates of past-year status among treated and untreated persons with former alcohol dependence: United States, 1992. *Alcoholism: Clinical and Experimental Research*, 20(4), 771-779. doi:10.1111/j.1530-0277.1996.tb01685.x
- Dawson, D. A. (1998). Symptoms and characteristics of individuals with different types of recovery from DSM-IV alcohol dependence. *Journal of Substance Abuse*, 10, 127-142. doi:10.1016/S0899-3289(99)80129-1
- Dawson, D. A., Goldstein, R. B., & Grant, B. F. (2007). Rates and correlates of relapse among individuals in remission from DSM-IV alcohol dependence: A 3-year follow-up. *Alcoholism: Clinical and Experimental Research*, 31(12), 2036-2045. doi:10.1111/j.1530-0277.2007.00536.x
- Dawson, D. A., Grant, B. F., Stinson, F. S., & Chou, P. S. (2006). Estimating the effect of help-seeking on achieving recovery from alcohol dependence. *Addiction*, 101, 824-834. doi:10.1111/j.1360-0443.2006.01433.x
- Dawson, D. A., Grant, B. F., Stinson, F. S., & Chou, P. S. (2006). Maturing out of alcohol dependence: The impact of transitional life events. *Journal of Studies on Alcohol*, 67, 195-203.
- Dawson, D. A., Grant, B. F., Stinson, F. S., Chou, P. S., Huang, B., & Ruan, W. J. (2005). Recovery from DSM-IV alcohol dependence: United States, 2001-2002. *Addiction*, 100(3), 281-292. doi:10.1111/j.1360-0443.2004.00964.x
- Dawson, D. A., Stinson, F. S., Chou, S. P., & Grant, B. F. (2008). Three-year changes in adult risk drinking behavior in relation to the course of alcohol-use disorders. *Journal of Studies of Alcohol and Drugs*, 69, 866-877.
- Dennis, M. L., Scott, C. K., Funk, R., & Foss, M. A. (2005). The duration and correlates of addiction and treatment careers. *Journal of Substance Abuse Treatment*, 28, S51-S62. doi:10.1016/j.jsat.2004.10.013
- Dennis M. L., & Scott, C. K. (2012). Four-year outcomes from the Early Re-Intervention (ERI) experiment using Recovery Management Checkups (RMCs). *Drug and Alcohol Dependence*, 121, 10-17. doi:10.1016/j.drugalcdep.2011.07.026
- Edwards, S., Kenna, G. A., Swift, R. M., & Leggio, L. (2011). Current and promising pharmacotherapies, and novel research target areas in the treatment of alcohol dependence: A review. *Current Pharmaceutical Design*, 17(14), 1323-1332.
- El-Guebaly, N. (2012). The meanings of recovery from addiction: Evolution and promises. *Journal of Addiction Medicine*, 6(1), 1-9.
- Elise, D. (1999). Recovering recovery. *Journal of Ministry in Addiction and Recovery*, 6(2), 11-23.
- Erickson, C., & White, W. (2009). Commentary: The neurobiology of addiction recovery. *Alcoholism Treatment Quarterly*, 27(3), 338-341.
- Frykholm, B. (1985). The drug career. *Journal of Drug Issues*, 15, 333-346.

- Garbutt, J. C. (2009). The state of pharmacotherapy for the treatment of alcohol dependence. *Journal of Substance Abuse Treatment*, 36(Suppl 1), S15-S23.
- Ginter, W. (2012). Methadone Anonymous and mutual support for medication-assisted recovery. *Journal of Groups in Addiction & Recovery*, 7(2-4), 189-201.
- Godley, M. D., Godley, S. H., Dennis, M. L., Funk, R. R., & Passetti, L. L. (2007). The effect of assertive continuing care on continuing care linkage, adherence, and abstinence following residential treatment for adolescent substance use disorders. *Addiction*, 102, 81-93. doi:10.1111/j.1360-0443.2006.01648.x
- Groshkova, T, Best, D., & White, W. (2012). The assessment of recovery capital: Properties and psychometrics of a measure of addiction recovery strengths. *Drug and Alcohol Review*. Advance online publication. doi: 10.1111/j.1465-3362.2012.00489.x
- Hser, Y., Anglin, M., Grella, C., Longshore, D., & Prendergast, M. (1997). Drug treatment careers: A conceptual framework and existing research findings. *Journal of Substance Abuse Treatment*, 14(3), 1-16.
- Humphreys, K. (1999). Professional interventions that facilitate 12-step self-help group involvement. *Alcohol Research and Health*, 23, 93-98.
- Humphreys, K. (2004). *Circles of recovery: Self-help organizations for addictions*. Cambridge: Cambridge University Press.
- Humphreys, K., Moos, R. J., & Cohen, C. (1997). Social and community resources and long-term recovery from treated and untreated alcoholism. *Journal of Studies on Alcohol*, 58(3), 231-238.
- Jackson, S. W. (2001). The wounded healer. *Bulletin of the History of Medicine*, 75, 1-36.
- Johnson, R., Martin, N., Sheahan, T., Way, F., & White, W. (2009). *Recovery resource mapping: Results of a Philadelphia Recovery Home Survey*. Philadelphia, PA: Philadelphia Department of Behavioral Health and Mental Retardation Services. Posted at [www.facesandvoicesofrecovery.org](http://www.facesandvoicesofrecovery.org)
- Kaskutas L. A., Subbaraman, M. S., Witbrodt, J., & Zemore, S. E. (2009). Effectiveness of Making Alcoholics Anonymous Easier (MAAEZ): A group format 12-step facilitation approach. *Journal of Substance Abuse Treatment*, 37(3), 228-239. doi:10.1016/j.jsat.2009.01.004
- Kellogg, S.H. (2003). On "Gradualism" and the building of the harm reduction-abstinence continuum. *Journal of Substance Abuse Treatment*, 25, 241-247.
- Kellogg, S.H., & Kreek, M.J. (2005). Gradualism, identity, reinforcements, and change. *International Journal of Drug Policy*, 16, 369-375.
- Kelly J. F., & Yeterian, J. (2008). Mutual-help groups. In W. O'Donohue & J. R. Cunningham (eds.), *Evidence-based adjunctive treatments* (pp. 61-106). New York: Elsevier.
- Kelly, J. F., & White, W. (2012) Broadening the base of addiction recovery mutual aid. *Journal of Groups in Addiction & Recovery*, 7(2-4), 82-101.
- Kessler, R., McGonagle, K, Zhao, S., Nelson, C., Hughes, M., Eshelman, S.,...Kendler, K. (1994). Lifetime and 12-month prevalence of DSM-III-R psychiatric disorders in the United States. Results from the National Comorbidity Survey. *Archives of General Psychiatry*, 51, 8-19.
- Kessler, R. C., Chiu, W. T., Demier, O., & Walters, E. E. (2005). Prevalence, severity, and comorbidity of 12-month DSM-IV disorders in the National Comorbidity Survey replication. *Archives of General Psychiatry*, 62, 617-627.

- Kirk, T.A. (2011). Connecticut's journey to a statewide recovery-oriented health-care system: strategies, success and challenges. In: Kelly, J.F. & White, W.L. *Addiction Recovery Management: Theory, Research and Practice*. New York: Humana Press / Springer Science. pp. 209-234.
- Klingemann, H. (1991). The motivation for change from problem alcohol and heroin use. *British Journal of Addiction*, 86, 727-744.
- Knudsen, H. K., Abraham, A. J., & Roman, P. M. (2011). Adoption and implementation of medicaztions in addiction treatment. *Journal of Addiction Medicine*, 5(1), 21-27.
- Kurtz, E., & Ketcham, K. (1992). *Spirituality of imperfection: Storytelling and the search for meaning*. New York: Bantam Books.
- Lamb, R., Evans, A. C., & White, W. (2009). *The role of partnership in recovery-oriented systems of care: The Philadelphia experience*. Posted [www.facesandvoicesofrecovery.org](http://www.facesandvoicesofrecovery.org)
- Laudet, A. B. (2007). What does recovery mean to you? Lessons from the recovery experience for research and practice. *Journal of Substance Abuse Treatment*, 33, 243-256. doi:10.1016/j.jsat.2007.04.014
- Laudet, A. B., Becker, J. B., & White, W. L. (2009). Don't wanna go through that madness no more: Quality of life satisfaction as predictor of sustained substance use remission from illicit drug misuse. *Substance Use and Misuse*, 44(2), 227-252. doi:10.1080/10826080802714462
- Maguire, M., Sheahan, T. M., & White, W. L. (2011). "I wanted a new beginning" Innovations in recovery management for people experiencing prolonged homelessness in the City of Philadelphia. *Alcoholism Treatment Quarterly*, 30, 3-21.
- Marlatt, G.A., Blume, A.W. & Parks, G.A. (2001). Integrating harm reduction therapy and traditional substance abuse treatment, *Journal of Psychoactive Drugs*, 33(1), 13-21;
- McKay, J. R., Lynch, K. G., Shepard, D. S., Morgenstern, J., Forman, R. F., & Pettinati, H. M. (2005b). Do patient characteristics and initial progress in treatment moderate the effectiveness of telephone-based continuing care for substance use disorders? *Addiction*, 100(2), 216-226. doi:10.1111/j.1360-0443.2005.00972.x
- McKay, J. R., Lynch, K. G., Shepard, D. S., & Pettinati, H. M. (2005). The effectiveness of telephone-based continuing care for alcohol and cocaine dependence. *Archives of General Psychiatry*, 62(2), 199-207.
- McKay, J. R., Lynch, K. G., Shepard, D. S., Ratichek, S., Morrison, R., Koppenhaver, J., & Pettinati, H. M. (2004). The effectiveness of telephone-based continuing care in the clinical management of alcohol and cocaine use disorders: 12-month outcomes. *Journal of Consulting and Clinical Psychology*, 72(6), 967-979. doi:10.1037/0022-006X.72.6.967
- McKay, J. R., Van Horn, D., Oslin, D. W., Ivey, M., Drapkin, M. L., Coviello, D. M., ...Lynch, K. G. (2011). *Extended telephone-based continuing care for alcohol dependence: 24-month outcomes and subgroup analyses*. *Addiction*, 106, 1760-1769. doi:10.1111/j.1360-0443.2011.03483.x
- McKnight, J. (1995). *The Careless Society: Community and its Counterfeits*. New York: Basic Books.
- McLellan, T. (2010). What is recovery? Revisiting the Betty Ford Institute Consensus Panel definition: The Betty Ford Consensus Panel and consultants. *Journal of Substance Abuse Treatment*, 38, 200-201. doi:10.1016/j.jsat.2009.11.002
- McLellan, A.T. (2003). What's the harm in discussing harm reduction: An introduction to a



- three-paper series. *Journal of Substance Abuse Treatment*, 25, 239-240.
- Miller, W., & C' de Baca, J. (2001). *Quantum change: When epiphanies and sudden insights transform ordinary lives*. New York: Guilford Press.
- Morgan, O. J. (1996). Recovery-sensitive counseling in the treatment of alcoholism. *Alcoholism Treatment Quarterly*, 13(4), 63-73. doi:10.1300/J020v13n04\_06
- Prochaska, J. O., Velicer, W. F., Rossi, J. S. Goldstein, M. G. Marcus, B. H. Rakowski, W.,...Rossi, S. R. (1994). Stages of change and decisional balance for 12 problem behaviors. *Health Psychology*, 13, 39-46.
- Rieckmann, T., Daley, M., Fuller, B., Thomas, C., & McCarty, D. (2007). Client and counselor attitudes toward the use of medications. *Journal of Substance Abuse Treatment*, 32, 207–215.
- SAMHSA. (2009). Working definition of recovery. Excerpt from *National Summit on Recovery Conference Report, 2005*. Rockville, MD: Center for Substance Abuse Treatment. Posted at [www.williamwhitepaers.com](http://www.williamwhitepaers.com)
- SAMHSA. (2011). SAMHSA announces a working definition of “recovery” from mental disorders and substance use disorders. Accessed January 10, 2013 at <http://www.samhsa.gov/newsroom/advisories/1112223420.aspx>
- Timko, C., DeBenedetti, A., & Billow, R. (2006). Intensive referral to 12-step self-help groups and 6-month substance use disorder outcomes. *Addiction*, 101, 678-688. doi:10.1111/j.1360-0443.2006.01391.x
- United Kingdom Drug Policy Commission. (2008). *A consensus definition of recovery*. Retrieved June 24, 2010 from <http://www.ukdpc.org.uk/resources/A%20Vision%20of%20Recovery.pdf>.
- van Eijk, J., Demirakca, T., Frischknecht, U., Hermann, D., Mann, K., & Ende, G. (2012). Rapid partial regeneration of brain volume during the first 14 days of abstinence from alcohol. *Alcoholism: Clinical & Experimental Research*. Advance online publication. doi:10.1111/j.1530-0277.2012.01853.x
- Waldorf, D. (1983). Natural recovery from opiate addiction: Some social-psychological processes of untreated recovery. *Journal of Drug Issues*, 13, 237-280.
- Waldorf, D., Reinerman, C., & Murphy, S. (1991). *Cocaine changes: The experience of using and quitting*. Philadelphia, PA: Temple University.
- White, W. (1996). *Pathways from the culture of addiction to the culture of recovery*. Center City, MN: Hazelden.
- White, W. L. (1998). *Slaying the dragon: The history of addiction treatment and recovery in America*. Bloomington, IL: Chestnut Health Systems.
- White, W. L. (2000). The history of recovered people as wounded healers: I. From Native America to the rise of the modern alcoholism movement. *Alcoholism Treatment Quarterly*, 18(1), 1-23. doi:10.1300/J020v18n01\_01
- White, W. L. (2000). The history of recovered people as wounded healers: II. The era of professionalization and specialization. *Alcoholism Treatment Quarterly*, 18(2), 1-25. doi:10.1300/J020v18n02\_01
- White, W. L. (2001). Pre-AA alcoholic mutual aid societies. *Alcoholism Treatment Quarterly*, 19(2), 1-21. doi:10.1300/J020v19n02\_01
- White, W. L. (2004). Addiction recovery mutual aid groups: An enduring international phenomenon. *Addiction*, 99, 532-538. doi:10.1111/j.1360-0443.2004.00684.x
- White, W. L. (2004). Recovery: The next frontier. *Counselor*, 5(1), 18-21.

- White, W. L. (2004). Transformational change: A historical review. *Journal of Clinical Psychology, 60*(5), 461-470. doi:10.1002/jclp.20001
- White, W. L. (2005). Recovery: Its history and renaissance as an organizing construct concerning alcohol and other drug problems. *Alcoholism Treatment Quarterly, 23*(1), 3-15. doi:10.1300/J020v23n01\_02
- White, W. L. (2006). *Let's go make some history: Chronicles of the new addiction recovery advocacy movement*. Washington, D.C.: Johnson Institute and Faces and Voices of Recovery.
- White, W. L. (2006). Recovery across the life cycle from alcohol/other drug problems: Pathways, styles and developmental stages. *Alcoholism Treatment Quarterly, 24*(1/2), 185-201. doi:10.1300/J020v24n01-11
- White, W. L. (2007). Addiction recovery: Its definition and conceptual boundaries. *Journal of Substance Abuse Treatment, 33*, 229-241. doi:10.1016/j.jsat.2007.04.015
- White, W. L. (2007). The new recovery advocacy movement in America. *Addiction, 102*, 696-703. doi:10.1111/j.1360-0443.2007.01808.x
- White, W. L. (2008a). *Recovery management and recovery-oriented systems of care: Scientific rationale and promising practices*. Pittsburgh, PA: Northeast Addiction Technology Transfer Center, Great Lakes Addiction Technology Transfer Center, Philadelphia Department of Behavioral Health & Mental Retardation Services
- White, W. L. (2008b). Recovery: Old wine, flavor of the month or new organizing paradigm? *Substance Use and Misuse, 43*(12&13), 1987-2000. doi:10.1080/10826080802297518
- White, W. (2008c). Toward a philosophy of choice: A new era of addiction treatment. *Counselor, 9*(1), 38-43.
- White, W. L. (2009). The mobilization of community resources to support long-term addiction recovery. *Journal of Substance Abuse Treatment, 36*, 146-158. doi:10.1016/j.jsat.2008.10.006
- White, W. L. (2009). *Peer-based addiction recovery support: History, theory, practice, and scientific evaluation*. Chicago, IL: Great Lakes Addiction Technology Transfer Center and Philadelphia Department of Behavioral Health and Mental Retardation Services.
- White, W. (2010). *Relapse is NOT a part of recovery*. Posted at [www.facesandvoicesofrecovery.org](http://www.facesandvoicesofrecovery.org) and [www.williamwhitepapers.com](http://www.williamwhitepapers.com)
- White, W. L. (2011). *Narcotics Anonymous and the pharmacotherapeutic treatment of opioid addiction*. Chicago, IL: Great Lakes Addiction Technology Transfer Center and Philadelphia Department of Behavioral Health and Intellectual disability Services.
- White, W. L. (2012). *Recovery/remission from substance use disorders: An analysis of reported outcomes in 415 scientific studies, 1868-2011*. Chicago: Great Lakes Addiction Technology Transfer Center; Philadelphia Department of Behavioral Health and Developmental disabilities; Northeast Addiction Technology Transfer Center.
- White, W., & Chaney, R. (2012). Commentary--Resilience and recovery across the generations: A critical research agenda. *Counselor, 13*(2), 54-57.
- White, W., & Cloud, W. (2008). Recovery capital: A primer for addictions professionals. *Counselor, 9*(5), 22-27.
- White, W. L., Evans, A. C., Lamb, R., & Achara-Abrahams, I. (in press). Addiction recovery communities as indigenous cultures: Implications for professional and scientific collaboration. *Alcoholism Treatment Quarterly*.
- White, W., Kelly, J., & Roth, J. (2012). New addiction recovery support institutions:



- Mobilizing support beyond professional addiction treatment and recovery mutual aid. *Journal of Groups in Addiction & Recovery*, 7(2-4), 297-317.
- White, W., & Kurtz, E. (2006). *Linking addiction treatment and communities of recovery: A primer for addiction counselors and recovery coaches*. Pittsburgh, PA: IRETA/NeATTC.
- White, W., & Kurtz, E. (2006). The varieties of recovery experience. *International Journal of Self Help and Self Care*, 3(1-2), 21-61.
- White, W., Parrino, M., & Ginter, W. (2011). *A dialogue on the psychopharmacology in behavioral healthcare: The acceptance of medication-assisted treatment in addictions*. Commissioned briefing paper for SAMHSA's A Dialogue on Psychopharmacology in Behavioral Healthcare meeting, October 11-12, 2011. Posted at [www.williamwhitepaers.com](http://www.williamwhitepaers.com)
- White, W. L., & Sanders, M. (2008). Recovery management and people of color: Redesigning addiction treatment for historically disempowered communities. *Alcoholism Treatment Quarterly*, 26(3), 365-395. doi:10.1080/07347320802072198
- White, W., & Savage, B. (2005). All in the family: Alcohol and other drug problems, recovery, advocacy. *Alcoholism Treatment Quarterly*, 23(4), 3-38.
- White, W. & Torres, L. (2010). *Recovery-oriented methadone maintenance*. Chicago, IL: Great Lakes Addiction Technology Transfer Center, Philadelphia Department of Behavioral Health and Mental Retardation Services and Northeast Addiction Technology Transfer Center.
- Williams, C., with Laird, R. (1992). *No hiding place: Empowerment and recovery for troubled communities*. New York: Harper San Francisco.
- Zweben, J.E. (1986). Recovery oriented psychotherapy. *Journal of Substance Abuse Treatment*, 3, 255-262. doi:10.1016/0740-5472(86)90037-1